

LOGAN COUNTY, COLORADO PLANNING & ZONING

IMPORTANT NOTICE ON ROOFING

Please note the requirements under the 2006 ICC Building Codes

**As adopted by the Board of County Commissioners, Logan County,
Colorado**

Only 1 (one) layer of asphalt shingles will be allowed per R907.3 (4) – **NO OVERLAYS, COMPLETE TEAROFF REQUIRED. This means to the exposed deck. No felt or underlayment to remain on roof.**

Ice barrier will be required for asphalt shingles, metal roof shingles, mineral roll roofing, slate, wood shingles, and wood shakes per R905.2.7.1, R905.3.1, R905.4.3.1, R905.6.3.1, R905.7.3.1, R905.8.3.1. Concrete and clay tile per R905.3.4 and R905.3.5 or manufacturers instructions.

Flashings are required for asphalt shingles, clay and concrete tile, metal roof shingles, slate, wood shingles, and wood shakes per R907.6, R905.3.8, R905.4.6, R905.6.6, R905.7.6, R905.8.8 or manufacturers instructions.

Asphalt shingles are acceptable for wind resistance using ASTM D7158 (G or H.)

LOGAN COUNTY, COLORADO
PLANNING & ZONING
315 Main Street
Sterling, CO 80751
970.522.7879